



Felder's thicknessers will provide you with more precision and quality than you could ever imagine from a thicknesser. Precisely manufactured you can see in the D951 design the core competencies of a Felder thicknesser: strength, stability and ease of use at the highest level. With a planning width of 504mm, Innovative controls, large and heavy precision components show quality workmanship and provide excellent precision and durability.

In addition to the solid thickness table, the precise setting accuracy and the four trapezoidal spindles, you get the Silent-POWER® spiral cutterblock which provides an excellent planning result.

Suited to professional users in trade, commerce and industry, the D951 offers excellent results, time after time.

Please note machine images may show optional equipment.

Auckland

19 Allens Road, East Tamaki
Auckland 2013
Ph (09) 271 7700
Fax (09) 271 7728

Christchurch

159 Ferry Road, Waltham
Christchurch 8011
Ph (03) 366 2013
Fax (03) 366 2021

Call free: 0800 522 577

Copyright © 2025 W & R Jack Limited.





Continuous speeds

Regardless of the type of wood and grain the variable feed speed of between 4 - 16m/min always guarantees an excellent thicknessing result



Power-Drive

The Power-drive thicknesser table control offers the most precise adjustment and repeat accuracy. With a twist of the knob you can quickly adjust the thicknessing height, then fine-adjust using the button. An integrated LED-display shows the actual value.



Spiral cutterblock

Exclusive to the Felder Group, the silent-POWER spiral block reduces noise emissions by more than half when planing. The continuous pulling cut ensures tear-free results when planing all types of wood. Other advantages are longer life from your blades, optimised chip extraction with a smaller volume of waste, and reduced power consumption.

Overview and features

See the advantages of the Silent-POWER cutterblock.

Felder D951 Thicknesser-

FELDER.

Specifications

Motor	5.5kW (7.5hp) 3 phase
Weight	650kg
Feed speed	Variable from 4 - 16 m/min
Maximum stock removal	8mm
Knives	77 tip Silent-POWER block
Maximum workpiece thickness	4 - 254mm
Thicknessing width	504mm

Specs shown are for the standard model we sell, but Felder offer a wide variety of options, so talk to us about customising a machine to suit you.

Specifications are subject to change without notice.

Auckland
19 Allens Road, East Tamaki
Auckland 2013
Ph (09) 271 7700
Fax (09) 271 7728

Christchurch
159 Ferry Road, Waltham
Christchurch 8011
Ph (03) 366 2013
Fax (03) 366 2021

Call free: 0800 522 577
Copyright © 2025 W & R Jack Limited.

