


Yilmaz VK420 V Notching Saw-



The VK 420 is designed for precise V cutting and 90° end notching with minimal off-cut sizes on aluminium, PVC and timber in one cut.

The saw unit is controlled by a hydro-pneumatic system that has an adjustable stroke speed and cutting height for maximum efficiency across all ranges of profiles being cut.

The fences are easily positioned in a T-slot guideway to adjust the position of cut on the workpiece.

Safety is ensured using adjustable guarding on all 3 sides of the machine in combination with a two-handed saw blade start mechanism.

Auckland
19 Allens Road, East Tamaki
Auckland 2013
Ph (09) 271 7700
Fax (09) 271 7728

Christchurch
159 Ferry Road, Waltham
Christchurch 8011
Ph (03) 366 2013
Fax (03) 366 2021

Call free: 0800 522 577
Copyright © 2025 W & R Jack Limited.



Yilmaz VK420 V Notching Saw-



90° End Notching Fence Kit

Clamps, roller tables and fence kit for 90° end notching work included with the machine



VK 420 Control Panel

The main control panel is clearly laid out and easy to use. The two hand start operation significantly improves safety for the operator



V Cutting Design

The VK 420 design allows two saw-blades to cut a perfect 90° V in one pass

Overview and features

Included Equipment

- 2 horizontal pneumatic clamps
- Additional clamps, roller tables and fence kit for 90° notching operations
- Pneumatic spray-mist blade lubrication
- Air gun
- Solid construction
- Supplied with two high-quality European aluminium sawblades

Yilmaz VK420 V Notching Saw-



Specifications

Motor	2x2.2kW (3hp) 3-phase
Saw blade speed	2750rpm
Air pressure	6 - 8 bar
Weight	360kg
Saw blade Ø	420mm
Maximum cutting height	230mm
Air consumption	50L/min
Dimensions (W x D x H)	89 x 115 x 186cm

Specifications are subject to change without notice.

Auckland
19 Allens Road, East Tamaki
Auckland 2013
Ph (09) 271 7700
Fax (09) 271 7728

Christchurch
159 Ferry Road, Waltham
Christchurch 8011
Ph (03) 366 2013
Fax (03) 366 2021

Call free: 0800 522 577
Copyright © 2025 W & R Jack Limited.

