Pertici P104 - 4 Axis CNC Machining Centre-





Auckland 19 Allens Road, East Tamaki Auckland 2013 Ph (09) 271 7700 Fax (09) 271 7728 **Christchurch** 159 Ferry Road, Waltham Christchurch 8011 Ph (03) 366 2013 Fax (03) 366 2021





Pertici P104 - 4 Axis CNC Machining **Centre-**



The Pertici P104 CNC Vertical Machining Centres are designed for drilling, milling, taping and end notching operations in several materials including:

- Aluminium Extrusions
- Light Gauge Steel Profiles
- uPVC Profiles
- Composite Profiles

The P104 can access three faces (top, back, front) and the two ends of a profile and perform various operations on any of these faces in a single program.

Using a total of four axis the machine can manipulate the spindle to all almost unlimited possibilities without operator interference. Programming is simple yet powerful thanks to the in house developed Pertici PCAM software that manages all aspects of the machines operation. Tool changes are completely automatic as is the position of all material clamps.

The machining head moves in longitudinal, transversal directions by brushless motors with rack and pinion system allowing the movement on ball bearings rails and slides to achieve very high precision. The vertical axis is driven by a super precise recirculating ball screw and brushless motor. The rotation of the spindle motor between -90° to +90° allows machining operation on all faces of the profile at any angles.

The P104 is ideal for either complex "one off" jobs, several variations on the same job or mass production of the same job. This machine can quickly change from one job to another or repetitively replicate the same cut continuously.

Auckland 19 Allens Road, East Tamaki Auckland 2013 Ph (09) 271 7700 Fax (09) 271 7728

Christchurch 159 Ferry Road, Waltham Christchurch 8011 Ph (03) 366 2013 Fax (03) 366 2021



Call free: 0800 522 577



Pertici P104 - 4 Axis CNC Machining Centre-





Main spindle

The spindle is rated S1 for continuous processing. The winding of the spindle creates high torque even at low speeds for machining industrial aluminium profile and thin steel. An adjustable lubrication nozzle guarantees a consistent thin supply of lubricant directly to the tool during the milling process.



Automatic clamps

Positioning of the clamps is fully automatic using the main carriage to position each clamp. Automatic clamp positioning is fast and eliminates the chance of operator error causing a crash between the spindle and clamps. Pertici clamps specifically design for CNC machining. The clamps are compact yet robust. The compactness of the clamps enables processing of small workpieces close to the clamps where maximum stability of the workpiece is required. Ensuring clean and accurate machining. • 4 x Clamps as standard • Clamping range: 120 x 260mm in 4 axes. 225 x 260mm in 3 axes. Option to increase clamping range to 280 x 260mm in 3 axes. • Additional clamps available as an option



Tool magazine

8 position tool magazine positioned in the middle of the machine for quick tool changes. The spindle does not need to travel to one end of the CNC to make tool changes.

Max. tool diameter 120mm

Specifications

Weight	1800kg
Spindle speeds	20,000rpm
Axis speed (X, Y, Z)	50 x 50 x 15m/min
X, Y, Z working area	3,450 x 790 x 400mm
Dimensions (L x W x H)	435 x 175 x 214cm
Main spindle	5kW (6.7hp)
Tool changer	Automatic 8 tool magazine
Maximum tool Ø	120mm milling blade
Air consumption	165L/min

Specifications are subject to change without notice.

Auckland 19 Allens Road, East Tamaki Auckland 2013 Ph (09) 271 7700 Fax (09) 271 7728 **Christchurch** 159 Ferry Road, Waltham Christchurch 8011 Ph (03) 366 2013 Fax (03) 366 2021



Call free: 0800 522 577 Copyright © 2025 W & R Jack Limited.