



Hammer's C3 31 with the Comfort feature package is an outstanding combination machine and meets the highest expectations of the woodworking enthusiast and professional.

This Comfort model combination includes features that have been most popular with Felder Group customers over the years. A cutting length of 2000mm and an outtrigger table give you the best supporting surface when working with larger workpieces.

In addition to the features of the C3 31, the Comfort model offers:

- Sliding table 2000mm
- Outtrigger table
- Precision mitre index
- Crosscut fence 1300mm

Please note machine images may show optional equipment.



Comfort package

Enjoy even more performance at a great price with the Comfort Feature Package including anodised format sliding table of 2000mm, outrigger table and precision mitre index for angular cuts.



Silent-POWER cutterblock as standard

For tear-free results, low noise and twenty times the usable blade life, Silent-POWER cutterblock offers outstanding value.

Also available: a 3 knife quick-change, self-setting cutterblock system enables simple and accurate planer knife changes in seconds.

Overview and features

Perfection in woodworking with the Hammer combination machine. See for yourself the precision and versatility of the Hammer Combi and observe just how easy it is to make a high class rocking chair using wood from the Black Locust tree.

See the benefit of a Silent-POWER cutterblock.

Auckland

19 Allens Road, East Tamaki
Auckland 2013
Ph (09) 271 7700
Fax (09) 271 7728

Christchurch

159 Ferry Road, Waltham
Christchurch 8011
Ph (03) 366 2013
Fax (03) 366 2021

Call free: 0800 522 577

Copyright © 2025 W & R Jack Limited.



Specifications

Motor	3 x 3kW (4hp) single phase (3 ph avail)
Weight	780kg
Thicknessing width	306mm
Knives	Silent-POWER spiral-knife block
Maximum workpiece thickness	225mm (thicknesser)
Feed speed	6m/min (thicknesser)
Maximum cutting depth	4mm (planer)
Working width	310mm (planer)
Length of tables	1400mm (planer)
Saw blade Ø	250 - 315mm
Saw blade speed	4800rpm (saw)
Max. cutting height @ 90°	103mm
Rip capacity	600mm
Sliding table length	2000mm
Spindle speeds	3000 / 6000 / 8000 / 10,000rpm
Spindle Ø	30mm
Spindle travel	100mm
Table opening Ø	180mm max tool diameter
Crosscut fence length	1300mm
Outrigger table size	1100mm

Specs shown are for the standard model we offer, but Hammer offer a wide variety of options, so talk to us about customising a machine to suit you.

Specifications are subject to change without notice.