Felder CF 531 Professional Combination- FELDER



The CF 531 Professional is a true all-rounder of wood-working. Top quality planing, thicknessing, moulding, cutting as well as an option for mortising - all in such a small area.

The professional equpment includes the 240 moulder fence, up to 2500mm sliding table, 1100mm outrigger and 2600mm crosscut fence ensures that even large scale work can be carried out with ease.

Please note machine images may show optional equipment.

Auckland 19 Allens Road, East Tamaki Auckland 2013 Ph (09) 271 7700 Fax (09) 271 7728 **Christchurch** 159 Ferry Road, Waltham Christchurch 8011 Ph (03) 366 2013 Fax (03) 366 2021



Call free: 0800 522 577 Copyright © 2025 W & R Jack Limited.

Felder CF 531 Professional Combination- FELDER



Stable, precision and high-performance fence

The planer fence: a masterpiece of engineering providing stability, precision and performance! The fence can be tilted with end-stops at 90° to 45°.



Long and heavy planer tables for excellent results

Long, heavy tables give you ample room and stability for any task.



Simple and accurate thicknessing

Thicknessing accuracy to one tenth of a millimetre with the use of the handwheel and its integrated digital display. Maximum thicknessing height is 220 mm.

Overview and features

See the benefit of a Silent-POWER cutterblock

Auckland 19 Allens Road, East Tamaki Auckland 2013 Ph (09) 271 7700 Fax (09) 271 7728 **Christchurch** 159 Ferry Road, Waltham Christchurch 8011 Ph (03) 366 2013 Fax (03) 366 2021



Felder CF 531 Professional Combination- FELDER

Specifications

Motor	3 x 3kW (4hp) single phase (3 ph avail)
Weight	820kg
Thicknessing width	306mm
Knives	47 tips, Silent-POWER spiral block
Maximum workpiece thickness	220mm (thicknesser)
Feed speed	6m/min (thicknesser)
Maximum cutting depth	5mm (planer)
Working width	310mm (planer)
Length of tables	1500mm (planer)
Saw blade Ø	250 - 315mm
Max. cutting height @ 90º	102mm
Rip capacity	600mm
Sliding table length	2050mm
Spindle speeds	3000 / 6000 / 8000 / 10,000rpm
Spindle Ø	30mm
Spindle travel	100mm
Table opening Ø	180mm max tool diameter
Crosscut fence length	2600mm
Dust extraction	120mm

Specs shown are for the standard model we offer, but Hammer offer a wide variety of options, so talk to us about customising a machine to suit you.

Specifications are subject to change without notice.

Auckland 19 Allens Road, East Tamaki Auckland 2013 Ph (09) 271 7700 Fax (09) 271 7728 **Christchurch** 159 Ferry Road, Waltham Christchurch 8011 Ph (03) 366 2013 Fax (03) 366 2021



Call free: 0800 522 577 Copyright © 2025 W & R Jack Limited.