Felder FST160 Sanding table-





Clean workshop - clean workpieces - good for your health!

The Felder sanding table FST160 can quickly and easily be connected to existing extraction systems and is immediately ready for use. The 1530 x 800mm, continuously extracted work surface guarantees a clean workplace and optimum working conditions. Thanks to an offset working area, even edge sanding work can be carried out easily and cleanly as well.

The sanding table FST 160 can be adjusted in height from 726 to 1026mm, but becomes particularly flexible in combination with the Felder work bench FAT 300 (shown in the image above), which provides 600mm of continuous height adjustment and easy mobility.

Please note machine image shows the optional FAT300.



Felder FST160 Sanding table-





1530 x 800mm continuously extracted work surface



Easily maintain a clean workplace and optimum working conditions



Add the FAT300 height-adjustable work bench for extra flexibility

With the FAT300 work bench you get 600mm of continuous height adjustment.

Overview and features

- Optimum dust extraction
- Simple connection to existing systems
- Slatted frame made from sturdy beechwood
- Large support surface with integrated extraction
- Offset working field for edge sanding work



Felder FST160 Sanding table-



Specifications

Table size1660 x 1020mm

Air consumption 1800m³/h Weight 120kg

Working height 726 - 1026mm (without FAT300)

Dust extraction 140mm

Specs shown are for the standard model we offer, but Felder offer a variety of options, so talk to us about customising a machine to suit you.

Specifications are subject to change without notice.

