

# Felder FST160 Sanding table-

**FELDER**



Clean workshop - clean workpieces - good for your health!

The Felder sanding table FST160 can quickly and easily be connected to existing extraction systems and is immediately ready for use. The 1530 x 800mm, continuously extracted work surface guarantees a clean workplace and optimum working conditions. Thanks to an offset working area, even edge sanding work can be carried out easily and cleanly as well.

The sanding table FST 160 can be adjusted in height from 726 to 1026mm, but becomes particularly flexible in combination with the Felder work bench FAT 300 (shown in the image above), which provides 600mm of continuous height adjustment and easy mobility.

Please note machine image shows the optional FAT300.

**Auckland**  
19 Allens Road, East Tamaki  
Auckland 2013  
Ph (09) 271 7700  
Fax (09) 271 7728

**Christchurch**  
159 Ferry Road, Waltham  
Christchurch 8011  
Ph (03) 366 2013  
Fax (03) 366 2021

Call free: 0800 522 577  
Copyright © 2025 W & R Jack Limited.



# Felder FST160 Sanding table-

**FELDER.**



**1530 x 800mm continuously extracted work surface**



**Easily maintain a clean workplace and optimum working conditions**



**Add the FAT300 height-adjustable work bench for extra flexibility**

With the FAT300 work bench you get 600mm of continuous height adjustment.

## Overview and features

- Optimum dust extraction
- Simple connection to existing systems
- Slatted frame made from sturdy beechwood
- Large support surface with integrated extraction
- Offset working field for edge sanding work

**Auckland**  
19 Allens Road, East Tamaki  
Auckland 2013  
Ph (09) 271 7700  
Fax (09) 271 7728

**Christchurch**  
159 Ferry Road, Waltham  
Christchurch 8011  
Ph (03) 366 2013  
Fax (03) 366 2021

Call free: 0800 522 577  
Copyright © 2025 W & R Jack Limited.



# Felder FST160 Sanding table-

**FELDER**

## Specifications

<b>Table size</b>	1660 x 1020mm
<b>Air consumption</b>	1800m <sup>3</sup> /h
<b>Weight</b>	120kg
<b>Working height</b>	726 - 1026mm (without FAT300)
<b>Dust extraction</b>	140mm

Specs shown are for the standard model we offer, but Felder offer a variety of options, so talk to us about customising a machine to suit you.

Specifications are subject to change without notice.

**Auckland**  
19 Allens Road, East Tamaki  
Auckland 2013  
Ph (09) 271 7700  
Fax (09) 271 7728

**Christchurch**  
159 Ferry Road, Waltham  
Christchurch 8011  
Ph (03) 366 2013  
Fax (03) 366 2021

**Call free: 0800 522 577**  
Copyright © 2025 W & R Jack Limited.

