

IF Peanut 2 Box of 1250-



Auckland
19 Allens Road, East Tamaki
Auckland 2013
Ph (09) 271 7700
Fax (09) 271 7728

Christchurch
159 Ferry Road, Waltham
Christchurch 8011
Ph (03) 366 2013
Fax (03) 366 2021

Call free: 0800 522 577
Copyright © 2025 W & R Jack Limited.



IF Peanut 2 Box of 1250-



The Peanut 2 is an invisible connector and the most robust fixing in the PEANUT® range, it is designed for end drilling machines and our wood working jigs for carpenters.

Once inserted, all panels made with Peanut components can be packed flat and depending on the tightness of the joint, can be assembled with no tools.

Key benefits:

- Self-clamping, invisible connector
- Packs flat when pre-inserted
- Creates an incredibly strong joint
- Quick and simple assembly
- Ability to reassemble many times
- Designed from glass fibre reinforced nylon
- Ideal for boring and insertion machines
- Peanut Jig and Mini Jig Compatible

Tooling Requirements : Peanut® Cutter

Auckland

19 Allens Road, East Tamaki
Auckland 2013
Ph (09) 271 7700
Fax (09) 271 7728

Christchurch


159 Ferry Road, Waltham
Christchurch 8011
Ph (03) 366 2013
Fax (03) 366 2021

Call free: 0800 522 577

Copyright © 2025 W & R Jack Limited.



IF Peanut 2 Box of 1250-



Machining

Drill your Peanut 2 holes and machine your slots with the Peanut Cutter



Insert the Peanut

Use a mallet or hammer to insert the Peanut flush



Join your furniture

Simply connect your furniture together

Overview and features

The Peanut 2 is made of a strong reinforced plastic and has rows of teeth around the dowel end to provide high gripping strength when inserted.

A hole through the length of the component allows for a 3.5mm screw to be used, this provides a very strong core and further enhances the grip strength.

By adjusting the screw tightness, the joint can be made tighter or looser, allowing woodworkers to achieve the perfect joint even after multiple reassemblies.

Designed with a shoulder to stop over-insertion and is perfectly calibrated for a tight joint in most situations. The head has been specially designed to maximise ease of assembly and joint strength. Due to its dome shape, the Peanut head smoothly slides along the slot created by the T-shaped PEANUT® Cutter.

In assembly, the Peanut head rides over the lip of the slot and slides to the end, this action creates a strong clamping force, pulling the two panels together from the inside.