



The Felder AD 951 planer-thicknesser - top class!

Looking for a planer-thicknesser that provides excellent planing results and offers incredible ease of use? Then the Felder AD 951 is the right machine for you. Solid ribbed planer tables and a 4 column thickening table support ensuring 100% stability. The planer table adjustment system, 120mm cutterblock diameter and the tried and tested Silent-Power cutterblock guarantee a perfect planing finish.

An intuitive design means that changing from planing to thickening is quick and easy putting the new AD 951 in a class of its own.

- Intuitive, synchronised opening of the dual planing table
- The optimised planing fence design ensures the smallest possible space requirement
- The new Felder planer fence:
- Highest operational safety with the best operating comfort
- The Felder system cutterblock has guaranteed perfect planing results for decades
- The innovative Silent-Power® spiral knife cutterblock cuts noise emission by half

Please note machine images may show optional equipment.

Auckland

19 Allens Road, East Tamaki
Auckland 2013
Ph (09) 271 7700
Fax (09) 271 7728

Christchurch

159 Ferry Road, Waltham
Christchurch 8011
Ph (03) 366 2013
Fax (03) 366 2021

Call free: 0800 522 577

Copyright © 2025 W & R Jack Limited.





Stability for high performance

The solid cast iron cutterblock housing is built for heavy duty work. The serrated steel infeed roller and the micro-serrated steel outfeed roller guarantee a perfect transport of the workpiece through the machine.



The Felder planer fence

The planer fence: a masterpiece of engineering providing stability, precision and performance. The fence can be tilted with end-stops at 90° to 45°. There is an end stop at both the 90° and 45° positions.



Planing table with a prism guide

The patented Felder planer table adjustment system uses prism guidance for the highest level of adjustment precision. With the new ergonomically shaped depth of cut adjustment handle you can adjust the depth of cut quickly and precisely. The depth of cut can be set to any depth up to 5mm.

Using the integrated magnifying glass, you can view the set depth and achieve exactly the desired results.

Overview and features

See the benefit of the Silent-POWER cutterblock

Specifications

Motor	5.5kW (7.5hp) 3 phase
Weight	900kg
Working width	510mm
Thicknessing width	504mm
Knives	Silent-POWER spiral block
Maximum workpiece thickness	254mm
Feed speed	Variable 4 - 16m/min
Length of tables	2250mm
Working height	890mm
Dust extraction	140mm

Specs shown are for the standard model we offer, but Hammer offer a wide variety of options, so talk to us about customising a machine to suit you.

Specifications are subject to change without notice.