

# Felder F900M Spindle Moulder-

**FELDER**



Felder's F900M Spindle Moulder is the heaviest in the Felder range and is perfectly suited for daily industrial use where precision and reliability is key.

Features include:

- Massive solid cast iron table offering vibration-free stability
- Tool free moulder spindle quick change system for high productivity
- Spindle moulder fence, moulder spindle height and angles can be precisely adjusted using electrical height and angle control
- Maximum safety in all aspects: rearward tilting spindle with 320 mm table opening
- High performance spindle aggregate with accurate double guiding system and a 6 year guarantee on the tilting segment guide 'Easy-Glide'
- Dual extraction ports for optimal dust removal

Please note machine images may show optional equipment.

## **Auckland**

19 Allens Road, East Tamaki  
Auckland 2013  
Ph (09) 271 7700  
Fax (09) 271 7728

## **Christchurch**

159 Ferry Road, Waltham  
Christchurch 8011  
Ph (03) 366 2013  
Fax (03) 366 2021

**Call free: 0800 522 577**

Copyright © 2025 W & R Jack Limited.



# Felder F900M Spindle Moulder-

**FELDER**



## Easy-Glide tilt segments

The patented Easy-Glide tilt segments use a special synthetic material inside the double-supported cast-iron supports to provide absolutely precise guidance, long life-span and a smooth tilt unaffected by dust. Provided with a 6-year factory guarantee.



## Quick change spindle system

Quick and easy change of the spindle with no tools. Allows the use of a interchangeable router spindle, along with additional 30, 32, 35, 40, 50 mm spindles. Provided with one 1 1/4" spindle.



## Rearward tilting spindle

The rearward spindle tilt ensures safety and quality. By eliminating a pinch point between the spindle and the table the operator has a much safer working environment. In addition, there is no limitation on work-piece height, problem-free power-feeder operation and optimal dust extraction by the hood.

## Specifications

<b>Spindle Ø</b>	1 1/4"
<b>Spindle speeds</b>	3500 / 4500 / 6000 / 8000 / 10,000rpm
<b>Motor</b>	5.5kW (7.5hp)
<b>Weight</b>	730kg
<b>Spindle travel</b>	140mm
<b>Spindle tilt</b>	0 to 45°
<b>Table opening Ø</b>	320mm
<b>Working height</b>	890mm

Specs shown are for the standard model we offer, but Felder offer a wide variety of options, so talk to us about customising a machine to suit you.

Specifications are subject to change without notice.

**Auckland**  
19 Allens Road, East Tamaki  
Auckland 2013  
Ph (09) 271 7700  
Fax (09) 271 7728

**Christchurch**  
159 Ferry Road, Waltham  
Christchurch 8011  
Ph (03) 366 2013  
Fax (03) 366 2021

**Call free: 0800 522 577**  
Copyright © 2025 W & R Jack Limited.

