

# Mafell DDF40 Duo-Doweler-



Mafell's Duo-Doweler is the most precise and renowned portable dowel system on the market. The new DDF40 features a modern ergonomic design and flat baseplate that allows the working table and workpieces to act as a reference fence for quick and precise work.

Smart accessories included with the DDF 40 make it a convenient multi-purpose machine out of the box. With a variety of stops and fences available, in most cases you will not need to use a template or mark out work.

Want to know more? View the videos below to see the many ways the Mafell DDF 40 can be used.

## **Auckland**

19 Allens Road, East Tamaki  
Auckland 2013  
Ph (09) 271 7700  
Fax (09) 271 7728

## **Christchurch**

159 Ferry Road, Waltham  
Christchurch 8011  
Ph (03) 366 2013  
Fax (03) 366 2021

**Call free: 0800 522 577**

Copyright © 2025 W & R Jack Limited.



# Mafell DDF40 Duo-Doweler-



## Corner joints, partition joints & rows of holes

Basic applications of the DDF 40 include corner joints, partitions and rows of holes. Offering the precision of a stationary machine but the versatility of a portable machine, the DDF 40 is an extremely valuable tool of the trade.



## Dowel spacing

The proven technique of using dowels in pairs removes any risk of twisting or weak joints. The cabinetry standard of 32mm spacing is applied by the machine.



## Height adjustment

Easy height adjustment up to a maximum of 62 mm.

## Overview and features

**DDF 40: Corner Joints**

**DDF 40: Partition/Shelf Joint**

**DDF 40: Row of Holes**

**DDF 40: Frame Joint**

**DDF 40: Batten Joint**

**Auckland**  
19 Allens Road, East Tamaki  
Auckland 2013  
Ph (09) 271 7700  
Fax (09) 271 7728

**Christchurch**  
159 Ferry Road, Waltham  
Christchurch 8011  
Ph (03) 366 2013  
Fax (03) 366 2021

**Call free: 0800 522 577**  
Copyright © 2025 W & R Jack Limited.



# Mafell DDF40 Duo-Doweler-



## Specifications

<b>Motor</b>	230V, 900W (1.2hp)
<b>Maximum cutting depth</b>	0 - 40mm
<b>Drilling head</b>	Dual drilling, 32mm interval
<b>Tilt range</b>	0 to 90°
<b>Maximum tool Ø</b>	3 - 12.2mm
<b>Chuck collet</b>	8mm
<b>Spindle speeds</b>	8,000rpm
<b>Weight</b>	2.8kg

Specifications are subject to change without notice.

**Auckland**  
19 Allens Road, East Tamaki  
Auckland 2013  
Ph (09) 271 7700  
Fax (09) 271 7728

**Christchurch**  
159 Ferry Road, Waltham  
Christchurch 8011  
Ph (03) 366 2013  
Fax (03) 366 2021

**Call free: 0800 522 577**  
Copyright © 2025 W & R Jack Limited.

