

Mafell KSP 40 Flexistem-



The KSP 40 Flexistem is a unique portable sawing system comprising a 40-series circular saw and a compact guide rail in a practical carrying case. The benefits to joiners, carpenters and interior decorators are self-evident.

This box of tricks contains everything you need when working on site, for cutting panels to size, sawing shadow gaps, and shortening doors. The relevant sawing system is quickly assembled whatever the job. In conjunction with the innovative Flexi-Guide, the compact and rugged KSP 40 Portable Circular Saw provides an ideal solution for practically every type of cut. Supplied together with a practical carrying case, it's an unbeatable combination.

Auckland

19 Allens Road, East Tamaki
Auckland 2013
Ph (09) 271 7700
Fax (09) 271 7728

Christchurch

159 Ferry Road, Waltham
Christchurch 8011
Ph (03) 366 2013
Fax (03) 366 2021

Call free: 0800 522 577

Copyright © 2025 W & R Jack Limited.



Mafell KSP 40 Flexistem-



T-MAX carrying case

Everything you need for the KSP 40 Flexistem is immediately to hand in the practical T-MAX carrying case



Steel guide rail

The steel guide rail can be rolled up to save space



Shadow gaps

Shadow gaps with a gap width of 13 mm and above

Overview and features

- Four saws in one: portable circular saw, rail-mounted portable saw with pivoting guard, plunge-cut saw and shadow gap saw.
- Pivot point alongside rail. Only one marking pointer irrespective of angle and with or without rail.
- First saw in its class with a lever to retract the pivoting guard

Delivery specification:

1 Flexi-Guide FX 140, 1.4 m (4.6 ft) with splinter guard; Ref. No. 204372

1 TCT saw blade 120 x 1.2/1.8 x 20 mm (4 3/4 in.)/ AT, 24 teeth; Ref. No. 092558

Compact package in space-saving T-MAX

Auckland

19 Allens Road, East Tamaki
Auckland 2013
Ph (09) 271 7700
Fax (09) 271 7728

Christchurch

159 Ferry Road, Waltham
Christchurch 8011
Ph (03) 366 2013
Fax (03) 366 2021

Call free: 0800 522 577

Copyright © 2025 W & R Jack Limited.



Mafell KSP 40 Flexistem-



Specifications

Weight 2.2kg

Motor 900W (1.2hp)

Tilt range 0 to 45°

Cutting depth off rail: 0-42mm

Cutting depth 45° with track 0-29mm

Cutting depth on rail: 0-40mm

Flexi-Guide effective length 1400mm

Specifications are subject to change without notice.

Auckland
19 Allens Road, East Tamaki
Auckland 2013
Ph (09) 271 7700
Fax (09) 271 7728

Christchurch
159 Ferry Road, Waltham
Christchurch 8011
Ph (03) 366 2013
Fax (03) 366 2021

Call free: 0800 522 577
Copyright © 2025 W & R Jack Limited.

