

Virutex AB181 OVVO Slot Trimmer-



Auckland
19 Allens Road, East Tamaki
Auckland 2013
Ph (09) 271 7700
Fax (09) 271 7728

Christchurch
159 Ferry Road, Waltham
Christchurch 8011
Ph (03) 366 2013
Fax (03) 366 2021

Call free: 0800 522 577
Copyright © 2024 W & R Jack Limited.



Virutex AB181 OVVO Slot Trimmer-



The Virutex AB181N is especially designed for fast and easy trimming of slots to place the OVVO® automatic connectors for assembling panels.

- Powerful 1000W motor, no-load speed 14,000-27,000/min
- Positioning of the machine by mean of retractable stoppers and visual references.No need to take measurements
- Adjustable fence for trimming angles. Automatic stoppers for 0°, 45° and 90°
- Precise adjustment of the panel thickness
- Precise adjustment of the trimming depth
- Non-slip double base with non-scratch protection
- Dust collector nozzle for connection to an external dust extractor

New OVVO® assembling system

The OVVO® connection system saves assembly time and allows the transport of furniture in flat-pack form, saving time and volume. There is no requirement to use tools, screws or glue to assemble the pieces. The OVVO® system is a solution to join two pieces easily and quickly when compared to traditional systems and creates invisible join with an internal automatic clamp between the two pieces.

Auckland

19 Allens Road, East Tamaki
Auckland 2013
Ph (09) 271 7700
Fax (09) 271 7728

Christchurch

159 Ferry Road, Waltham
Christchurch 8011
Ph (03) 366 2013
Fax (03) 366 2021

Call free: 0800 522 577

Copyright © 2024 W & R Jack Limited.



Virutex AB181 OVVO Slot Trimmer-



Adjustable angle base

Designed for the quick and easy trimming of slots for the OVVO connection system. Adjustable base for slotting between 0 - 90°.



OVVO Connection system

The OVVO system saves assembly time and does not require any tools, screws or glue. Once connected it provides an invisible join between the two panels.



Perfect quick connections

Provides an invisible join between panels with quick assembly.

Virutex AB181 OVVO Slot Trimmer-



Overview and features

Specifications

Motor	1kW (1.3hp)
Chuck collet	8mm
Weight	3.6kg
Maximum cutting depth	60mm (trimming)
Work area on door front	80 x 300 mm
Work area on door edge	55 x 300 mm
Maximum opening of clamps	190 mm
Minimum opening of clamps	13 mm

Specifications are subject to change without notice.

Auckland
19 Allens Road, East Tamaki
Auckland 2013
Ph (09) 271 7700
Fax (09) 271 7728

Christchurch
159 Ferry Road, Waltham
Christchurch 8011
Ph (03) 366 2013
Fax (03) 366 2021

Call free: 0800 522 577
Copyright © 2024 W & R Jack Limited.

