



Hammer's N2-35 is a bandsaw that's big on performance, and easy on the budget

With a 235 mm cutting height and a 1 kw motor meet performance requirements for a machine of this style. A swivelling, heavy grey cast iron machine table and solid cast aluminium wheels make for strong and stable performance. And the precisely guided rip fence and the upper and lower saw blade guide with finely adjustable side and back roller bearings ensure optimum results.

Note the stand is not included but available separately - or you can build your own! Other accessories include various mitre fences, and a rolling carriage.

Auckland

19 Allens Road, East Tamaki
Auckland 2013
Ph (09) 271 7700
Fax (09) 271 7728

Christchurch

159 Ferry Road, Waltham
Christchurch 8011
Ph (03) 366 2013
Fax (03) 366 2021

Call free: 0800 522 577

Copyright © 2026 W & R Jack Limited.





Cast aluminium bandsaw wheels

Blade tension and tape running on the solid bandsaw wheels can be easily seen and adjusted.



Solid, tiltable cast iron machine table

The solid table made of heavy grey cast iron can be tilted from -5 to +45. For the 90° table position the adjustable end stop is tilted in. Note the stand pictured is an optional accessory.



Parallel fence can be tilted away

Guided precisely along the round bar, the fence can be positioned or swung away on either the left or right-hand side of the saw blade. The aluminium fence is mounted to the cast iron housing of the parallel fence and can be positioned along the cutting direction for improved infeeding of longer workpieces. For the processing of narrow workpieces the aluminium fence can be laid flat from the normal vertical position.

Overview and features

- Minimum space requirement
- Easy blade change
- Optimum cutting speed in wood
- User-friendly
- Range of accessories available

Hammer product code: 500-13-351

Specifications

Table size	400 x 548mm
Blade	2630mm x 6 - 20mm
Table tilt	-5° - +45°
Dimensions (L x W x H)	600 x 460 x 1310mm (1700mm with base)
Maximum cutting height	235mm
Wheel Ø	350mm
Rip capacity	340mm
Blade speed	15.5 m/sec
Motor	1kW
Weight	100kg

Specs shown are for the standard model we offer, but Hammer offer a wide variety of options, so talk to us about customising a machine to suit you.

Specifications are subject to change without notice.