

A close-up image of a KOT LASER edgebander. A bright orange laser beam is shown cutting through a dark material, with a glowing orange edgeband being applied to a curved surface. The machine has 'KOT LASER' printed on its side.

# EDGEBANDER INFOTECH SHOW

Wednesday 15<sup>th</sup> & Thursday 16<sup>th</sup> of October, 9:00AM – 5:00PM  
19 Allens Road, East Tamaki, Auckland

## LIVE DEMOS – EXPERT ADVICE

- Glue and laser tape processing
- 45° bevel edgebanding techniques
- Manual and automatic set-up options
- From entry-level to full production lines



## BREAKOUT SESSIONS WITH INDUSTRY EXPERTS

PUR, PO, and EVA glues – Laser tape units – New materials – Live bond testing

## ASK QUESTIONS · GET ADVICE · WATCH LIVE · LEARN MORE

Discover what's possible — and what's next — in edgebanding.

Come see why the right edgebander and the right setup makes all the difference!

SCAN TO REGISTER



Machines that mean business  
0800 522 577 | [www.jacks.co.nz](http://www.jacks.co.nz)





# KBT EDGE TECH 7 SERIES

The 7 Series combines robust construction with servo-driven technology, delivering performance and versatility at levels that set a new benchmark in value.

## KE-706



- Available in EVA, PUR or Laser
- 21.5" Touchscreen
- Auto adjustment with 6 servo motors
- Multi-profile tooling
- Max feed speed 18m/min
- Weight 2500kg

## KE-710 BT



- Available in EVA, PUR or Laser
- 21.5" Touchscreen
- Auto adjustment with 10 servo motors
- Top pressure belt
- Multi-profile tooling
- Max feed speed 24m/min
- Weight 2900kg

## KE-710 GBSUT Laser 3.0



- Available in EVA or PUR with Laser
- 21.5" Touchscreen
- Auto adjustment with 10 servo motors
- Top pressure belt
- Multi-profile tooling
- Max feed speed 24m/min
- Rough & fine trim units
- Weight 4000kg

Machines that mean business

0800 522 577 | [www.jacks.co.nz](http://www.jacks.co.nz)





# KE-268JSA

## BIG-MACHINE PERFORMANCE. COMPACT FOOTPRINT.

Packing the units of a much larger machine into a space-saving frame.  
The KE-268JSA delivers professional results and outstanding value.



- EVA Glue with pre-melt
- 10" Touchscreen
- Pneumatic adjustment
- Pre-milling and corner rounding
- Max Feed speed 12m/min
- Weight 1500kg

# KE-395J 45°

## EFFORTLESS 45° EDGING. PROFESSIONAL RESULTS.

From raw square edges to precise 45° edge banding in one seamless step.



- EVA Glue
- Panel thickness 9 - 25mm
- Min Panel Size (L,W) 150 x 135mm
- Feed speed 14m/min

Also Featuring:



P200 PRE-GLUE & *Virutex* PEB ZERO LINE LASER



Machines that mean business  
0800 522 577 | [www.jacks.co.nz](http://www.jacks.co.nz)

